GBAPOLSKA

ANALYTICAL LABORATORIES
microbiology - physicochemistry - sensory

GBA POLSKA Sp. z o.o.
Member of GBA GROUP
ul. Mochtyńska 65, 03-289 Warsaw, Poland

AB 1095

TEST REPORT No: B/0/10/2026/486/FM/1/EN

Customer: MZ-STORE SPÓŁKA AKCYJNA 84-240 Reda, ul. ul. Cypriana Kamila Norwida 47

Order No: B/0/10/2026/486

A - accredited methodology (accreditation no. AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).

AE - accredited methodology (accreditation no. AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

Material/product tested: **Dietary supplements**

Product name: ***Needed Ovi Repair Day 90 caps*** **Date*: 15 October 2026**

Producer: *MZ STORE SA*
Date of production: *no data*
Lot number: *no data*

Sampling according to: -
Samples transported by: Shipping

Received by: GBA POLSKA employee no: 3310

Sample no: 51939/10/26 Sample condition: correct Analysis start date: 15-10-2026 Analysis end date: 24-10-2026

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
M	Coliforms count	cfu/g	AE	PN-ISO 4832:2007	no requirements	<1,0x10¹		-
M	Total microbial count	cfu/g	AE	PN-EN ISO 4833-1:2013-12, PN-EN ISO 4833-1:2013-12/Ap1:2016-11, PN-EN ISO 4833-1:2013-12/A1:2022-06	no requirements	<1,0x10¹		-
M	Presence of presumptive Escherichia coli	1g	AE	PN-ISO 7251:2006	no requirements	absent in 1g		-
M	Presence of Listeria monocytogenes	25g	AE	PN-EN ISO 11290-1:2017-07	no requirements	not detected in 25g		-
M	Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species)	1g	AE	PN-EN ISO 6888-3:2004, PN-EN ISO 6888-3:2004/AC:2005	no requirements	absent in 1g		-
M	Count of yeasts and moulds	cfu/g	AE	PN-ISO 7954:1999	no requirements	<1,0x10¹		-
M	Presence of Salmonella spp.	25g	AE	PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09	no requirements	not detected in 25g		-
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	≤ 0.10 ; mg/kg ; Commission Regulation (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006 (as amended)	< 0,0010	0.0002	MEET

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
Ł	Lead	mg/kg	AE	PN-EN 15763:2010	≤ 3.0 ; mg/kg ; Commission Regulation (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006 (as amended)	< 0,010	0.002	MEET
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	≤ 1.0 ; mg/kg ; Commission Regulation (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006 (as amended)	< 0,0020	0.0003	MEET
Ł	Benzo(a)pyrene	µg/kg	AE	PB-258/LF ed. 6 of 23.06.2025	≤ 10.0 ; µg/kg ; COMMISSION REGULATION (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006	< 1,0	0.20	MEET
Ł	Content of Polycyclic Aromatic Hydrocarbons (PAH) (from calculation) (benzo(a)pyrene, chrysene, benzo(a)anthracene, benzo (b)fluoranthene)	µg/kg	AE	PB-258/LF ed. 6 of 23.06.2025	≤ 50.0 ; µg/kg ; COMMISSION REGULATION (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006	< 1,0	0.20	MEET
Ł	Content of Echimidine and Heliosupine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Erucifoline	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Europine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Heliotrine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Intermedine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Jacobine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Lasiocarpine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Lycopsamine and Indicine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Monocrotaline	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Echimidine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
Ł	Content of Erucifoline-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Europine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Heliosupine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Heliotrine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Intermedine-N-oxide, Indicine-N-oxide, Echinatine-N-oxide and Rinderine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Jacobine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Lasiocarpine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Lycopsamine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Monocrotalin-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Retrorsine-N-oxide and Usaramine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Senecionine-N-oxide, Integerrimine-N-oxide and Senecivernine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Seneciphylline-N-oxide and Spartioidine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Retrorsine and Usaramine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Rinderine and Echinatine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	9,0	3.2	-

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U	S/OI
Ł	Content of Seneciphylline and Spartioidine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Senecivernine, Integerrimine and Senecionine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Senkirkine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Content of Trichodesmine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Pyrrolizidine alkaloids content (total) (BfR 28)	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0	0.4	-
Ł	Pyrrolizidine alkaloids content (total) (Commision Regulation (EU) 2023/915)	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	≤ 400 ; µg/kg ; COMMISSION REGULATION (EU) 2023/915 of 25 April 2023 on maximum levels of certain contaminants in food and repealing Regulation (EC) No 1881/2006	9,0	3.2	CONFORMING

Date* - depending on the method of obtaining the sample by GBA POLSKA, it is the date of: collection (when the sample is collected only by a GBA POLSKA employee) or receipt (when the sample is collected from the Customer by a GBA POLSKA employee, is delivered by a courier company or delivered personally by the Customer).
U - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is provided when it is important for the reliability of test results or compliance with requirements/specifications and at the request of the Customer. The "test results" lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. These values provide information about the research results. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method.
S/OI - statements of conformity/opinion and interpretation, where:
S – statements of conformity with the requirements or specifications relating to the results for the parameters indicated in a given row, where CONFORMING means conformity and NON CONFORMING means non-conformity with specification. The decision rules agreed with the Customer and the risks associated with it, as well as the identification of which specifications, standards or parts thereof are met and which are not, are provided in the Remarks. In case of obtaining the "test results", the Statements of Conformity for those "test results" that are meet the requirements of PCA Communication No. 353 of August 24, 2021, it is carried out as part of the opinion and interpretation.
OI - opinion and interpretation of the Laboratory in relation to the qualitative results/results obtained below/above the method range, where MEET means complying with the requirements and NOT MEET means not complying with the requirements.
The results refer only to the tested samples (sampled or received - in accordance with the information presented in the Test Report).
The information in italics included in the Test Report was provided by the Customer. The laboratory is not responsible for this information. The laboratory is not resposible for the method of sampling and the representativeness of the samples provided by the Customer for testing.
The Test Report without the written approval of the Laboratory shall not be reproduced except in full.
The Laboratory does not store the samples after testing, unless otherwise agreed with the Customer.
Place of performance of the tests ("Lab."): Ł - Łajski, ul. Kościelna 2a, 05-119 Legionowo, L - ul. Doświadczalna 50a, 20-280 Lublin, M - ul. Fabryczna 7, 41-404 Mysłowice, P – ul. Jasielska 16a, 60-476 Poznań, W – ul. Ząbkowska 18, 03-735 Warszawa, PS - in situ measurement.

NOTE: Original Test Report is issued in electronic form with the *.pdf extension, signed with a qualified electronic signature. Therefore, all prints, unless certified as true copies, are copies.

Remarks:

The tested sample meets the requirements indicated above as “conforming” in terms of the tested parameters.
In determining Statement of Conformity, the principle of simple acceptance described in the guidelines of document ILAC-G8-09/2019 has been applied. For results close to the tolerance/specification limit, the risk of false acceptance is up to 50%.
The second selective medium for detecting the presence of Listeria monocytogenes according to PN-EN ISO 11290-1:2017-07 is Palcam - incubation at 37°C ± 1°C. The second selective medium for detecting the presence of Salmonella spp. according to PN-EN ISO 6579-1:2017-04, MON-EN ISO 6579-1:2017-04/A1:2020-09 is RVS broth and Brilliance Salmonella/Agar. For the detection of staphylococci coagulase-positive Braid Parker RPF/agar medium was used. The temperature used for incubation of coliform bacteria: 37°C±1°C.

Created on:	Authorized result:	Authorized Test report:	
26-10-2026	GBA POLSKA employee no: 2416 GBA POLSKA employee no: 2422 GBA POLSKA employee no: 2510 GBA POLSKA employee no: 2567	Food Research Industry Documentation Team Leader GBA POLSKA employee no: 2942	**Signed with a qualified electronic signature**

Report prepared in a single copy **Original of PDF: Customer, copy of PDF to: Laboratory archive**

The end of the Test Report